

2017

Yang J, Liu R, Deng Y, Qian J, Lu Z, Wang Y, Zhang D, Luo F, Chu Y	MiR-15a/16 deficiency enhances anti-tumor immunity of glioma-infiltrating CD8+ T cells through targeting mTOR	<i>Int J Cancer</i>
骆菲菲、郑秀娟、张丹、储以微	TLR1/2 信号促 CD8+T 细胞功能及其机制	<i>中国肿瘤生物治疗杂志</i>
刘嘉婧、刘荣花、储以微	免疫代谢研究进展	<i>中国免疫学杂志</i>
Zou B, Jiang W, Han H, Li J, Mao W, Tang Z, Yang Q, Qian G, Qian J, Zeng W, Gu J, Chu T, Zhu N, Zhang W, Yan D, He R, Chu Y, Lu M	Acyloxyacyl hydrolase promotes the resolution of lipopolysaccharide-induced acute lung injury.	<i>PLoS Pathog</i>
Lu Y, Liu H, Bi Y, Yang H [#] , Li Y, Wang J, Zhang Z, Wang Y, Li C, Jia A, Han L, Hu Y, Zhao Y, Wang R, Liu G*.	Glucocorticoid receptor promotes the function of myeloid-derived suppressor cells by suppressing HIF1 α -dependent glycolysis.	<i>Cell Mol Immunol.</i>
Li C, Bi Y, Li Y, Yang H [#] , Yu Q, Wang J, Wang Y, Su H, Jia A, Hu Y, Han L, Zhang J, Li S, Tao W, Liu G*.	Dendritic cell MST1 inhibits Th17 differentiation.	<i>Nat Commun.</i>
Liu, J., Xiong, E., Zhu, H. Mori, H., Yasuda, S., Kinoshita, K., Tsubata, T., Wang, J.	Efficient Induction of Ig Gene Hypermutation in Ex Vivo-Activated Primary B Cells	<i>The Journal of Immunology</i>

2016

Feifei Luo, Jiawen Qian, Jiao Yang, Yuting Deng, Xiujuan Zheng, Jie Liu, Yiwei Chu.	Bifunctional aHER2/CD3 RNA-engineered CART-like Human T Cells Specifically Eliminate HER2+ Gastric Cancer.	<i>Cell Research</i>
Z Lu , R Liu , E Huang , Y Chu	micro RNAs: New regulators of IL-22	<i>Cellular Immunology</i>
Huang E, Liu R, Lu Z, Liu J, Liu X, Zhang D, Chu Y.	NKT cells mediate the recruitment of neutrophils by stimulating epithelial chemokine secretion during colitis.	<i>Biochem Biophys Res Commun</i>
Fengkai Xu, Cheng-Zhi Xu, Jie Gu, Xiaoming Liu, Ronghua Liu, Enyu Huang, Yunfeng Yuan, Guangyin Zhao, Jiahao Jiang, Chen Xu, Yiwei Chu, Chunlai Lu, Di Ge	Eukaryotic translation initiation factor 3B accelerates the progression of esophageal squamous cell carcinoma by activating β -catenin signaling pathway	<i>Oncotarget</i>
Xuechao Jiang, Bingbing Zha, Xiaoming Liu, Ronghua Liu, Jun Liu, Enyu Huang, Tingting Qian, Jiajing Liu, Zhiming Wang, Dan Zhang, Luman Wang, Yiwei Chu	STAT6 Deficiency Ameliorates Graves' Disease Severity by Suppressing Thyroid Epithelial Cell Hyperplasia	<i>Cell Death and Disease</i>
He X, Gao B, Zhou L, Xiong S.	Green tea polyphenol epigallocatechin-3-gallate alleviated coxsackievirus B3-induced myocarditis via inhibiting viral replication, but not through inhibiting inflammatory responses.	<i>J Cardiovasc Pharmacol</i>
Lu M, Xu W, Gao B, Xiong S	Blunting Autoantigen-induced FOXO3a Protein Phosphorylation and Degradation Is a Novel Pathway of Glucocorticoids for the Treatment of Systemic Lupus Erythematosus.	<i>J Biol Chem</i>
Li F, Gao B, Xu W, Chen L, Xiong S.	The Defect in Autophagy Induction by Clinical Isolates of Mycobacterium Tuberculosis Is Correlated with Poor Tuberculosis Outcomes.	<i>PLoS One</i>

Xiaonan Zhuang, Zijuan Chen, Chenxi He, Lin Wang, Ruixue Zhou, Dapeng Yan and Baoxue Ge	Modulation of host signaling in the inflammatory response by enteropathogenic Escherichia coli virulence proteins	<i>Cellular & Molecular Immunology</i>
Zhou Y, He C, Yan D, Liu F, Liu H, Chen J, Cao T, Zuo M, Wang P, Ge Y, Lu H, Tong Q, Qin C, Deng Y, Ge B.	The kinase CK1 ϵ controls the antiviral immune response by phosphorylating the signaling adaptor TRAF3	<i>Nat Immunol.</i>
Li Y, Yu Q, Zhang Z, Wang J, Li S, Zhang J, Liu G.	TH9 cell differentiation, transcriptional control and function in inflammation, autoimmune diseases and cancer.	<i>Oncotarget.</i>
Wang Y, Bi Y, Chen X, Li C, Li Y, Zhang Z, Wang J, Lu Y, Yu Q, Su H, Yang H, Liu G.	Histone Deacetylase SIRT1 Negatively Regulates the Differentiation of Interleukin-9-Producing CD4(+) T Cells.	<i>Immunity.</i>
Liu L, Lu Y, Martinez J, Bi Y, Lian G, Wang T, Milasta S, Wang J, Yang M, Liu G, Green DR, Wang R.	Proinflammatory signal suppresses proliferation and shifts macrophage metabolism from Myc-dependent to HIF1 α -dependent.	PNAS
Chen X, Zhang Z, Bi Y, Fu Z, Gong P, Li Y, Yu Q, Jia A, Wang J, Xue L, Yang H, Liu G.	mTOR signaling disruption from myeloid-derived suppressive cells protects against immune-mediated hepatic injury through the HIF1 α -dependent glycolytic pathway.	<i>J Leukoc Biol.</i>
Zhao T, Yang H, Tian Y, Xie Q, Lu Y, Wang Y, Su N, Dong B, Liu X, Wang C, Jiang C, Liu Q.	SOX7 is associated with the suppression of human glioma by HMG-box dependent regulation of Wnt/ β -catenin signaling.	<i>Cancer Lett.</i>
Shao K, Lu Y, Wang J, Chen X, Zhang Z, Wang X, Wang X, Yang H*, Liu G*.	Different effects of tacrolimus on innate and adaptive immune cells in the allograft transplantation.	<i>Scand J Immunol</i>
Mingfang Lu and Robert Munford	LPS stimulates IgM production in vivo without help from non-B cells	Innate Immunity
Liu W, Liu Y, Fu Q, Zhou L, Chang Y, Xu L, Zhang W*, Xu J*.	Elevated expression of IFN-inducible CXCR3 ligands predicts poor prognosis in patients with non-metastatic clear-cell renal cell carcinoma.	Oncotarget

Cao Y, Liu H, Zhang H, Lin C, Li R, Wu S, Li H, He H*, Zhang W*, Xu J*.	CXC chemokine receptor 1 predicts postoperative prognosis and chemotherapeutic benefits for TNM II and III resectable gastric cancer patients.	Oncotarget
Yang L, Liu Y, An H, Chang Y, Zhang W*, Zhu Y, Xu L, Xu J*.	High expression of colony stimulating factor 1 receptor associates with unfavorable cancer-specific survival of patients with clear cell renal cell carcinoma.	Ann Surg Oncol
Fu Q, Chang Y, Zhou L, An H, Zhu Y, Xu L, Zhang W*, Xu J*.	Positive intratumoral chemokine (C-C motif) receptor 8 expression predicts high recurrence risk of post-operation clear-cell renal cell carcinoma patients.	Oncotarget
Li, Y., Takahashi, Y., Fujii, S., Zhou, Y., Hong, R., Suzuki, A., Tsubata, T., Hase, K., Wang, J.-Y.	EAF2 mediates germinal centre B-cell apoptosis to suppress excessive immune responses and prevent autoimmunity.	<i>Nature Commun</i>
Kawamura, K., Wada, A., Wang, J.-Y., Li, Q., Ishii, A., Tsujimura, H., Takagi, T., Itami, M., Tada, Y., Tatsumi, K., Shimada, H., Hiroshima, K. and Tagawa, M.	Expression of activation-induced cytidine deaminase is associated with a poor prognosis of diffuse large B cell lymphoma patients treated with CHOP-based chemotherapy.	<i>J. Cancer Res. Clin. Oncol.</i>
Xiao L, Yang X, Lin Y, Li S, Jiang J, Qian S, Tang Q, He R*, Li X*	Large adipocytes function as antigen presenting cells to activate CD4+ T cells via up-regulating MHCII in obesity	<i>International Journal of Obesity</i>
Yue W, Lin Y, Yang X, Li B, Liu J*, and He R*	Thymic stromal lymphopoietin (TSLP) inhibits human colon tumor growth by promoting apoptosis of tumor cells	<i>Oncotarget</i>
Yang X, Lin Y, Shi Y, Li B, Liu W, Yin W, Dang Y, Chu Y, Fan J*, and He R*	FAP promotes immunosuppression by cancer-associated fibroblasts in the tumor microenvironment via STAT3-CCL2 signaling	<i>Cancer Research</i>

Yoon J, Leyva-Castillo JM, Wang G, Galand C, Oyoshi MK, Kumar L, Hoff S, He R, Chervonsky A, Oppenheim JJ, Kuchroo VK, van den Brink MR, Malefyt Rde W, Tessier PA, Fuhlbrigge R, Rosenstiel P, Terhorst C, Murphy G, Geha RS.	IL-23 induced in keratinocytes by endogenous TLR4 ligands polarizes dendritic cells to drive IL-22 responses to skin immunization	<i>J. Exp. Med</i>
Liu Q, Wu D, Han L, Deng J, Zhou L, He R, Lu C, Mi QS	Roles of MicroRNAs in Psoriasis: Immunological Functions and Potential Biomarkers	<i>Exp Dermatol</i>
Ma S, Lin Y, Deng B, Zheng Y, Hao C, He R*, Ding F*	Endothelial bioreactor system ameliorates multiple organ dysfunction in septic rats	<i>Intensive Care Med Exp</i>
骆菲菲, 郑秀娟, 杨姣, 张丹, 储以微	人高效树突细胞的快速制备及功能检测	<i>现代免疫学</i>
王健, 陆芸, 杨慧, 陈旭林, 刘光伟	巨噬细胞在创伤修复中的作用	<i>中国细胞生物学报</i>

2015

Liang M, Lv J, Zou L, Yang W, Xiong Y, Chen X, Guan M, He R*, Zou H*	A modified murine model of systemic sclerosis: bleomycin given by pump infusion induced skin and pulmonary inflammation and fibrosis	<i>Lab Invest.</i>
Lv J, Zou L, Zhao L, Yang W, Xiong Y, Li B, He R*	LTB4-BLT1 axis promotes OXA-induced contact dermatitis by directing skin homing of neutrophils and CD8+ T cells	<i>Immunology</i>
Xiao L, Yang X, Lin Y, Li S, Jiang J, Qian S, Tang Q, He R*, Li X*	Large adipocytes function as antigen presenting cells to activate CD4+ T cells via up-regulating MHCII in obesity	<i>Int J Obes.</i>
Li X, Xu J, Lv Z, Wang J, Sun S, Zhu W, Wang B, He R, Qu D.	Inadequate activation of the HBsAg-specific Th cells by APCs leads to hyporesponsiveness to HBsAg vaccine in B10.S mice	<i>Hum Vaccin Immunother</i>
Liu WR, Tian MX1, Yang LX, Lin YL, Jin L, Ding ZB, Shen YH, Peng YF, Gao DM, Zhou J, Qiu SJ, Dai Z, He R, Fan J, Shi YH	PKM2 promotes metastasis by recruiting myeloid-derived suppressor cells and indicates poor prognosis for hepatocellular carcinoma	<i>Oncotarget.</i>
Yang H, Bi Y, Han F, Lu Y, Wang J, Zhang Z, Liu G.	Myeloid-derived suppressor cells in immunity and autoimmunity.	<i>Expert Rev Clin Immunol</i>
Chen X, Lu Y, Zhang Z, Wang J, Yang H, Liu G.	Intercellular interplay between Sirt1 signalling and cell metabolism in immune cell biology.	<i>Immunology.</i>
Yang H, Bi Y, Xue L, Wang J, Lu Y, Zhang Z, Chen X, Chu Y, Yang R, Wang R, Liu G.	Multifaceted Modulation of SIRT1 in Cancer and Inflammation.	<i>Crit Rev Oncog.</i>
Liu G, Bi Y, Xue L, Zhang Y, Yang H, Chen X, Lu Y, Zhang Z, Liu H, Wang X, Wang R, Chu Y, Yang R.	Dendritic cell SIRT1-HIF1 α axis programs the differentiation of CD4+ T cells through IL-12 and TGF- β 1.	<i>Proc Natl Acad Sci U S A.</i>

Wang X, Bi Y, Xue L, Liao J, Chen X, Lu Y, Zhang Z, Wang J, Liu H, Yang H, Liu G.	The calcineurin-NFAT axis controls allograft immunity in myeloid-derived suppressor cells through reprogramming T cell differentiation.	<i>Mol Cell Biol.</i>
周雷、何锡然、高波、熊思东	Inhibition of histone deacetylase activity aggravates coxsackievirus B3-induced myocarditis by promoting viral replication and myocardial apoptosis	<i>J Virol</i>
钟林茂、胡娟秀、舒望琴、高波、熊思东	Epigallocatechin-3-gallate opposes HBV-induced incomplete autophagy by enhancing lysosomal acidification, which is unfavorable for HBV replication	<i>Cell Death Dis</i>
陆牡丹、虞姗姗、高波、熊思东	HMGB1 Promotes Systemic Lupus Erythematosus by Enhancing Macrophage Inflammatory Response	<i>J Immunol Res</i>
Wang L, Ray A, Jiang X, Wang JY, Basu S, Liu X, Qian T, He R, Dittel BN, Chu Y.	T regulatory cells and B cells cooperate to form a regulatory loop that maintains gut homeostasis and suppresses dextran sulfate sodium-induced colitis	<i>Mucosal Immunol</i>
Xiaoming Liu,Xuechao Jiang,Ronghua Liu,Luman Wang,Tingting Qian,Yijie Zheng,Yuting Deng,Enyu Huang, Fengkai Xu,Yiwei Chu	B cells expressing CD11b effectively inhibit CD4+ T cell responses and ameliorate experimental autoimmune hepatitis	<i>Hepatology</i>
Ronghua Liu,Jie Gu, Pei Jiang,Yijie Zheng, Xiaoming Liu, Xuechao Jiang, Enyu Huang,Shudao Xiong,Fengkai Xu,Guangwei Liu,Di Ge,Yiwei Chu	DNMT1-microRNA126 epigenetic circuit contributes to esophageal squamous cell carcinoma growth via ADAM9-EGFR-AKT signaling	<i>Clin Cancer Res</i>
Wei Lin, Zhichao Fan, Yuanzhen Suo, Yuting Deng, Min Zhang, Jiyang Wang, Xunbin Wei and Yiwei Chu	The bullseye synapse formed between CD4+ T-cell and staphylococcal enterotoxin B-pulsed dendritic cell is a suppressive synapse in T-cell response	<i>Immunology and Cell Biology</i>

Yang J, Li W, Luo F, Zhao N, Zhang W, Zhang D, Qian J, Yu Y, Zheng X, Wang Y, Feng Y, Liu T, Chu Y	Low percentage of CD24 ^{hi} CD27 ⁺ CD19 ⁺ B cells decelerates gastric cancer progression in XELOX-treated patients	<i>Int Immunopharmacol</i>
Enyu Huang, Ronghua Liu & Yiwei Chu*	miRNA-15a/16: as tumor suppressors and more	<i>Future Oncol</i>
Wei Lin, Yuanzhen Suo, Yuting Deng, Zhichao Fan, Yijie Zheng, Xunbin Wei, Yiwei Chu	Morphological change of CD4 ⁺ T cell during contact with DC modulates T-cell activation by accumulation of F-actin in the immunology synapse.	<i>BMC Immunology</i>
张敏, 骆菲菲, 黄恩宇, 张丹, 钱静, 吴晓凤, 储以微	PA -MSHA 抗肿瘤效应的免疫机制研究	<i>复旦学报(医学版)</i>
Ouchida R, Lu Q, Liu J, Li Y, Chu Y, Tsubata T, Wang JY	FcmR Interacts and Cooperates with the B Cell Receptor To Promote B Cell Survival	<i>The Journal of Immunology</i>
Yan, D. P., Farache, J., Mathis, D., Benoist, C.	Imbalanced signal transduction in FoxP3 ⁺ regulatory T cells.	<i>PNAS, Accepted</i>
Kawamura, K., Wada, A., Wang, J.-Y., Li, Q., Ishii, A., Tsujimura, H., Takagi, T., Itami, M., Tada, Y., Tatsumi, K., Shimada, H., Hiroshima, K. and Tagawa, M.	Expression of activation-induced cytidine deaminase is associated with a poor prognosis of diffuse large B cell lymphoma patients treated with CHOP-based chemotherapy.	<i>J. Cancer Res. Clin.</i>
Liu, X., Jiang, X., Liu, R., Wang, L., Qian, T., Zheng, Y., Deng, Y., Huang, E., Xu, F., Wang, J.-Y. and Chu, Y.	B cells expressing CD11b effectively inhibit CD4 ⁺ T cell responses and ameliorate experimental autoimmune hepatitis.	<i>Hepatology</i>
Kubagawa, H., Carroll, M.C., Jacob, C.O., Lang, K.S., Lee, K.H., Mak, T., McAndrews, M., Morse, H.C. 3rd, Nolan, G.P., Ohno, H., Richter, G.H., Seal, R., Wang, J.-Y., Wiestner, A. and Coligan, J.E.	Nomenclature of Toso, Fas apoptosis inhibitory molecule 3, and IgM FcR.	<i>J. Immunol.</i>

Wang, L., Ray, A., Jiang, X., Wang, J.-Y., Basu, S., Liu, X., Qian, T., He, R., Dittel, B.N. and Chu, Y.	T regulatory cells and B cells cooperate to form a regulatory loop that maintains gut homeostasis and suppresses dextran sulfate sodium-induced colitis.	<i>Mucosal Immunol.</i>
Liu Y, Yang L, An H, Chang Y, Zhang W*, Zhu Y, Xu L, Xu J*.	High expression of solute-linked carrier family 1 member A5 is associated with poor prognosis in clear-cell renal cell carcinoma.	<i>Sci Rep.</i>
Liu W, Liu Y, Fu Q, Zhang W, Xu L, Chang Y, Xu J.	Prognostic significance of ubiquinol-cytochrome c reductase hinge protein expression in patients with clear cell renal cell carcinoma.	<i>Am J Cancer Res.</i>
Liu W, Fu Q, An H, Chang Y, Zhang W*, Zhu Y, Xu L, Xu J*.	Decreased Expression of SETD2 Predicts Unfavorable Prognosis in Patients With Nonmetastatic Clear-Cell Renal Cell Carcinoma.	<i>Medicine.</i>
Fu Q, Chang Y, An H, Fu H, Zhu Y, Xu L, Zhang W*, Xu J*.	Prognostic value of interleukin-6 and interleukin-6 receptor in organ-confined clear-cell renal cell carcinoma: a 5-year conditional cancer-specific survival analysis.	<i>Br J Cancer.</i>
Yang L, Liu Y, An H, Chang Y, Zhang W*, Zhu Y, Xu L, Xu J*.	High Expression of Colony-Stimulating Factor 1 Receptor Associates with Unfavorable Cancer-Specific Survival of Patients with Clear Cell Renal Cell Carcinoma.	<i>Ann Surg Oncol.</i>
Liu W, Liu Y, Liu H, Zhang W, Fu Q, Xu J, Gu J.	Tumor suppressive function of p21-activated kinase 6 in hepatocellular carcinoma.	<i>J Biol Chem.</i>
Liu H, Liu Y, Liu W, Zhang W, Xu J.	EZH2-mediated loss of miR-622 determines CXCR4 activation in hepatocellular carcinoma.	<i>Nat Commun.</i>
Liu Z, Liu Y, Xu L, An H, Chang Y, Yang Y, Zhang W*, Xu J*.	P2X7 receptor predicts postoperative cancer-specific survival of patients with clear-cell renal cell carcinoma.	<i>Cancer Sci.</i>

Liu H, Wu Q, Liu Y, Liu W, Zhang W, Pan D, Xu J.	Prognostic significance of β 1,6-N-acetylglucosaminyltransferase V expression in patients with hepatocellular carcinoma.	<i>Jpn J Clin Oncol.</i>
Yang L, Wu Q, Xu L, Zhang W, Zhu Y, Liu H, Xu J, Gu J.	Increased expression of colony stimulating factor-1 is a predictor of poor prognosis in patients with clear-cell renal cell carcinoma.	<i>BMC Cancer.</i>
Liu W, Yang Y, Liu Y, Liu H, Zhang W, Xu L, Zhu Y, Xu J.	p21-Activated kinase 4 predicts early recurrence and poor survival in patients with nonmetastatic clear cell renal cell carcinoma.	<i>Urol Oncol.</i>
Liu H, Liu W, Liu Z, Liu Y, Zhang W, Xu L, Xu J.	Prognostic value of purinergic P2X7 receptor expression in patients with hepatocellular carcinoma after curative resection.	<i>Tumour Biol.</i>
Fu H, Liu Y, Xu L, Liu W, Fu Q, Liu H, Zhang W*, Xu J*.	Galectin-9 predicts postoperative recurrence and survival of patients with clear-cell renal cell carcinoma.	<i>Tumour Biol.</i>
Pan D, Xu L, Liu H, Zhang W, Liu W, Liu Y, Fu Q, Xu J.	High expression of interleukin-11 is an independent indicator of poor prognosis in clear-cell renal cell carcinoma.	<i>Cancer Sci.</i>
Liu Y, Liu H, Liu W, Zhang W, An H, Xu J.	β 1,6-N-acetylglucosaminyltransferase V predicts recurrence and survival of patients with clear-cell renal cell carcinoma after surgical resection.	<i>World J Urol.</i>
Liu Y, Xu L, Zhu Y, Zhang W, Liu W, Liu H, Xu J.	Galectin-8 predicts postoperative recurrence of patients with localized T1 clear cell renal cell carcinoma.	<i>Urol Oncol.</i>
Wu Q, Liu HO, Liu YD, Liu WS, Pan D, Zhang WJ, Yang L, Fu Q, Xu JJ, Gu JX.	Decreased expression of hepatocyte nuclear factor 4 α (Hnf4 α)/microRNA-122 (miR-122) axis in hepatitis B virus-associated hepatocellular carcinoma enhances potential oncogenic GALNT10 protein activity.	<i>J Biol Chem.</i>

Pan D, Xu L, Liu H, Zhang W, Zhu Y, Xu J, Gu J.	Interleukin-11 receptor predicts post-operative clinical outcome in patients with early-stage clear-cell renal cell carcinoma.	<i>Jpn J Clin Oncol.</i>
Wu Q, Yang L, Liu H, Zhang W, Le X, Xu J.	Elevated Expression of N-Acetylgalactosaminyltransferase 10 Predicts Poor Survival and Early Recurrence of Patients with Clear-Cell Renal Cell Carcinoma.	<i>Ann Surg Oncol.</i>
Liu W, Liu Y, Liu H, Zhang W, An H, Xu J.	Snail predicts recurrence and survival of patients with localized clear cell renal cell carcinoma after surgical resection.	<i>Urol Oncol.</i>
Zhang W, Liu H, Liu W, Liu Y, Xu J.	Polycomb-mediated loss of microRNA let-7c determines inflammatory macrophage polarization via PAK1-dependent NF-κB pathway.	<i>Cell Death Differ.</i>
Fu Q, Chang Y, Zhou L, An H, Zhu Y, Xu L, Zhang W*, Xu J*.	Positive intratumoral chemokine (C-C motif) receptor 8 expression predicts high recurrence risk of post-operation clear-cell renal cell carcinoma patients	<i>Oncotarget</i>

2014

Zhang M, Luo F, Zhang Y, Wang L, Lin W, Yang M, Hu D, Wu X, Chu Y .	Pseudomonas aeruginosa Mannose-Sensitive Hemagglutinin Promotes T-Cell Response via Toll-Like Receptor 4-Mediated Dendritic Cells to Slow Tumor Progression in Mice.	<i>Journal of Pharmacology and Experimental Therapeutics</i>
Yufei Zhang, Feifei Luo, Anning Li, Jiawen Qian, Zhenwei Yao, Xiaoyuan Feng Yiwei Chu .	Systemic Injection of TLR1/2 Agonist Improves Adoptive Antigen-specific T Cell Therapy in Glioma-bearing Mice.	<i>Clinical Immunology</i>
Wei Lin, Zhichao Fan, Yuanzhen Suo, Yuting Deng, Min Zhang, Jiyang Wang, Xunbin Wei and Yiwei Chu .	The bullseye synapse formed between CD4+ T-cell and staphylococcal enterotoxin B-pulsed dendritic cell is a suppressive synapse in T-cell response.	<i>Immunology and Cell Biology</i>
Rong-hua LIU,Xiao-ming LIU, Yi-jie ZHENG, Pei JIANG ,Shu-dao XIONG, Naixiang Luo, Dongzhen Mu,Yi-Wei CHU.	MicroRNA-7 sensitizes human non-small cell lung cancer A549 cells to paclitaxel by targeting EGFR.	<i>Oncology Letters</i>
Luman Wang, Xuechao Jiang, Xiaoming Liu, Yiwei Chu	Local immune compartments are related to the severity of DSS induced Colitis.	<i>BioScience Trends.</i>
Shudao Xiong, Yijie Zheng, Pei Jiang, Ronghua Liu, Xiaoming Liu, Jing Qian, Jie Gu, Lijun Chang, Di Ge, Yiwei Chu	PA28gamma emerges as a novel functional target of tumor suppressor microRNA-7 in Non-Small Cell Lung Cancer	<i>British Journal of Cancer</i>
Ronghua Liu, Jie Gu, Pei Jiang, Yijie Zheng, Xiaoming Liu, Xuechao Jiang, Enyu Huang, Shudao Xiong, Fengkai Xu, Guangwei Liu, Di Ge,	DNMT1-microRNA126 epigenetic circuit contributes to esophageal squamous cell carcinoma growth via ADAM9-EGFR-AKT signaling	<i>Clinical Cancer Research</i>
Zhe Bao Wu, Chao Qiu, An Li Zhang, Lin Cai, Shao Jian Lin, Yu Yao, Qi Sheng Tang, Ming Xu, Wei Hua, Yi Wei Chu, Y. H. Mao, Jian hong Zhu, Jianqing Xu and Liang Fu Zhou.	Glioma-Associated Antigen HEATR1 Induces Functional Cytotoxic T Lymphocytes in Glioma Patients.	<i>Journal of Immunology Research.</i>

Lihui Li, Mingsong Wang, Guangyang Yu, Ping Chen, Hui Li, Dongping Wei, Ji Zhu, Huixun Jia, Li Xie, Jieyi Shi, Chunjie Li, Wantong Yao, Yanchun Wang, Qiang Gao, Lak Shin Jeong, Hyuk Woo Lee, Jinha Yu, Fengqing Hu, Ju Mei, Ping Wang, Yiwei Chu, Hui Qi, Meng Yang, Ziming Dong, Yi Sun, Robert Hoffman, and Lijun Jia.	Overactivated neddylation pathway as a therapeutic target in lung cancer.	<i>Journal of the National Cancer Institute.</i>
Wan-Tong Yao, Jian-Fu Wu, Guang-Yang Yu, Rui Wang, Kai Wang, Li-Hui Li, Ping Chen, Ya-Nan Jiang, He Cheng, Hyuk Woo Lee, Jinha Yu, Hui Qi, Xian-Jun Yu, Ping Wang, Yi-Wei Chu, Meng Yang, Zi-Chun Hua, Hao-Qiang Ying, Robert M. Hoffman, Lak Shin Jeong, Li-Jun Jia.	Suppression of tumor angiogenesis by targeting protein neddylation pathway.	<i>Cell Death & Disease</i>
Du Y, Teng X, Wang N, Zhang X, Chen J, Ding P, Qiao Q, Wang Q, Zhang L, Yang C, Yang Z, Chu Y, Du X, Zhou X and Hu W.	NF- κ B and Enhancer-Binding CREB Scaffolded by CBP/p300 Regulate CD59 Expression to Protect Cells from Complement Attack.	<i>Journal of Biological Chemistry.</i>
Xue Yang, Ji Yang, Yiwei Chu, Jiucun Wang, Ming Guan, Xiaoxia Zhu, Yu Xue, Hejian Zou.	T Follicular Helper Cells Mediate Expansion of Regulatory B Cells via IL-21 in Lupus-Prone MRL/lpr Mice.	<i>PLoS One</i>
Du Lihuan, Zheng Jingcun, Jiang Ning, Wang Guozeng, Chu Yiwei, Lin Wei, Qian Jing, Zhang Yuanfang, and Chen Gang.	Photodynamic Therapy with the Novel Photosensitizer Chlorophyllin f Induces Apoptosis and Autophagy in human Bladder Cancer Cells.	<i>Lasers in Surgery and Medicine</i>
Du Lihuan, Jiang Ning, Wang Guozeng, Chu Yiwei, Lin Wei, Qian Jing, Zhang Yuanfang, Zheng Jingcun, Chen Gang.	Autophagy inhibition sensitizes bladder cancer cells to the photodynamic effects of the novel photosensitizer chlorophyllin e4.	<i>Journal of Photochemistry and Photobiology B: Biology.</i>
Huang, Y.L., Morales-Rosado, J., Ray, J., Myers, T.G., Kho, T., Lu, M., and Munford, R.S.	Toll-like receptor agonists promote prolonged triglyceride storage in macrophages.	<i>J Biol Chem</i>

Janelins, B.M., Lu, M., and Datta, S.K.	Altered inactivation of commensal LPS due to acyloxyacyl hydrolase deficiency in colonic dendritic cells impairs mucosal Th17 immunity.	<i>Proc Natl Acad Sci U S A</i>
Lu M, Kho T, and Munford R.S.	Prolonged Triglyceride Storage in Macrophages: pHo Trumps pO2 and TLR4.	<i>J Immunol 193(3):1392-7</i>
Lu Q, Wang JY, Wang L, Jiang X, Chu Y	Self DNA from lymphocytes that have undergone activation-induced cell death enhances murine B cell proliferation and antibody production	<i>PLoS One</i>
Wang T, Liu G, Wang R	The intercellular metabolic interplay between tumor and immune cells	<i>Front Immunol</i>
Liao J, Wang X, Bi Y, Shen B, Shao K, Yang H, Lu Y, Zhang Z, Chen X, Liu H, Wang J, Chu Y, Wang X and Liu G	Dexamethasone potentiates myeloid-derived suppressor cell function in prolonging allograft survival through nitric oxide	<i>Journal of Leukocyte Biology</i>
Zhang Y, Bi Y, Yang H, Chen X, Liu H, Lu Y, Zhang Z, Liao J, Yang S, Chu Y, Yang R, Liu G	mTOR limits the recruitment of CD11b+Gr1+Ly6Chigh myeloid-derived suppressor cells in protecting against murine immunological hepatic injury	<i>Journal of Leukocyte Biology</i>
Liu HR, Lu Y, Zhang ZG, Chen X, Chu Y, Xue F, and Liu G	Cellular metabolism modulation in T lymphocyte immunity	<i>Immunology</i>
Liu G, Bi Y, Wang R, Yang H, Zhang Y, Wang X, Liu H, Lu Y	Targeting S1P1 receptor protects against murine immunological hepatic injury through myeloid-derived suppressor cells	<i>Journal of Immunology</i>
Wang X, Yu B, Xue L, Liao J, Chen X, Lu Y, Zhang Z, Wang J, Liu H, Yang H, Liu G	Calcineurin-NFAT axis controls allograft immunity in myeloid-derived suppressor cells through reprogramming T cell differentiation	<i>Mol Cell Biol</i>
Yang H, Bi Y, Xue L, Wang J, Lu Y, Zhang Z, Chen X, Chu Y, Yang R, Wang R, and Liu G	Multifaceted modulation of SIRT1 in cancer and inflammation	<i>Critic Rev in Oncogenesis</i>

Qili Yin*, Xiaofei Xu*, Yuli Lin, Jiaoyan Lv, Lina Zhao, and Rui He	Ultraviolet B irradiation induces skin accumulation of plasmacytoid dendritic cells: A possible role for chemerin	<i>Autoimmunity</i>
Zhao L, Yang W, Yang X, Lin Y, Lv J, Dou X, Luo Q, Dong J, Chen Z, Chu Y and He R*.	Chemerin suppresses murine allergic asthma by inhibiting CCL2 production and subsequent airway recruitment of inflammatory dendritic cells.	<i>Allergy</i>
Lin Y, Yang X, Yue W, Xu X, Li B, Zou L and He R*	Chemerin aggravates DSS-induced colitis by suppressing M2 macrophage polarization	<i>Cellular & Molecular Immunol</i>
Wang Y, Gao B, Xiong S	Involvement of NLRP3 inflammasome in CVB3-induced viral myocarditis	<i>Am J Physiol Heart Circ Physiol</i>
Lu M, Yu S, Xu W, Gao B (Co-corresponding author) and Xiong S	HMGB1 promotes systemic lupus erythematosus by enhancing macrophage inflammatory response	<i>Journal of Immunology Research</i> (原 <i>Clinical & Developmental Immunology</i>)
Wen Z, Xu L, Xu W, Xiong S.	Detection of dynamic frequencies of Th17 cells and their associations with clinical parameters in patients with systemic lupus erythematosus receiving standard therapy.	<i>Clin Rheumatol.</i>
Kawai, Y., Ouchida, R., Yamasaki, S., Dragone, L., Tsubata, T. and Wang, J.-Y.*	LAPTM5 promotes lysosomal degradation of intracellular but not the cell surface CD3 ζ	<i>Immunol. Cell Biol.</i>
陆青, 张伟娟, 王继扬*	新发现的免疫应答调节分子: IgM 抗体的 Fc 受体 (TOSO/FAIM3) .	<i>科学通报</i>
储以微 (专家论坛)	脑胶质瘤免疫微环境研究进展	<i>中国肿瘤生物治疗杂志</i>
Zhang W, Liu H, Liu W, Liu Y, Xu J.	Polycomb-mediated loss of microRNA let-7c determines inflammatory macrophage polarization via PAK1-dependent NF-kappaB pathway	<i>Cell Death Differ.</i>
Wu Q, Liu HO, Liu YD, Liu WS, Pan D, Zhang	Decreased Expression of Hnf4 α /miR-122 Axis in Hepatitis B	<i>J Biol Chem.</i>

WJ, Yang L, Fu Q, Xu JJ, Gu JX.	Virus-associated Hepatocellular Carcinoma Enhances Potential Oncogenic GALNT10 Activity.	
Xu L, Zhu Y, Chen L, An H, Zhang W, Wang G, Lin Z, Xu J.	Prognostic value of diametrically polarized tumor-associated macrophages in renal cell carcinoma.	<i>Ann Surg Oncol.</i>
Liu W, Liu H, Liu Y, Xu L, Zhang W, Zhu Y, Xu J, Gu J.	Prognostic significance of p21-activated kinase 6 expression in patients with clear-cell renal cell carcinoma.	<i>Ann Surg Oncol.</i>
Wu Q, Yang L, Liu H, Zhang W, Xu L, Xu J.	Elevated expression of N-acetylgalactosaminyltransferase 10 predicts poor survival and early recurrence of patients with clear-cell renal cell carcinoma.	<i>Ann Surg Oncol.</i>
Liu Y, Liu W, Xu L, Liu H, Zhang W, Zhu Y, Xu J, Gu J.	N-acetylgalactosaminyltransferase 4 predicts clinical outcome in patients with clear-cell renal cell carcinoma.	<i>J Urol.</i>
Fu Q, Liu Z, Pan D, Zhang W, Xu L, Zhu Y, Liu H, Xu J.	Tumor miR-125b predicts recurrence and survival of patients with clear-cell renal cell carcinoma after surgical resection.	<i>Cancer Sci.</i>
Liu W, Liu Y, Liu H, Zhang W, An H, Xu J.	Snail predicts recurrence and survival of patients with localized clear-cell renal cell carcinoma after surgical resection.	<i>Urol Oncol.</i>
Liu Y, Xu L, Zhu Y, Zhang W, Liu W, Liu H, Xu J.	Galectin-8 predicts postoperative recurrence of patients with localized T1 clear-cell renal cell carcinoma.	<i>Urol Oncol.</i>
Liu Y, Liu H, Liu W, Zhang W, An H, Xu J.	β 1,6-N-acetylglucosaminyltransferase V predicts recurrence and survival of patients with clear-cell renal cell carcinoma after surgical resection.	<i>World J Urol.</i>
Pan D, Xu L, Liu H, Zhang W, Zhu Y, Xu J, Gu J.	Interleukin-11 receptor predicts postoperative clinical outcome in patients with localized clear-cell renal cell carcinoma.	<i>Jpn J Clin Oncol.</i>
Liu H, Wu Q, Liu W, Liu Y, Fu Q, Zhang W, Xu L, Xu J.	ST6Gal-I predicts postoperative clinical outcome for patients with localized clear-cell renal cell carcinoma.	<i>Asian Pac J Cancer Prev.</i>

2013

Yijie Zheng, Naixiang Luo, Dongzhen Mu, Pei Jiang, Ronghua Liu, Haozhe Sun, ; Shudao Xiong, Xiaoming Liu, Luman Wang, Yiwei Chu (corresponding)	Lipopolysaccharide regulates biosynthesis of cystathionine γ -lyase and hydrogen sulfide through toll-like receptor-4/p38 and toll-like receptor-4/NF- κ B pathways in macrophages.	<i>In Vitro Cell Dev Biol Anim.</i>
Shudao Xiong, Yijie Zheng, Pei Jiang, Ronghua Liu, Xiaoming Liu, Jing Qian, Jie Gu, Lijun Chang, Di Ge, and Yiwei Chu	PA28 γ emerges as a novel functional target of tumor suppressor microRNA-7 in Non-Small Cell Lung Cancer	<i>British Journal of Cancer</i>
Liu G, Yang H	Modulation of macrophage activation and programming in immunity	<i>Journal of Cellular Physiology</i>
Liu G, Hu X, Sun B, Yang T, Zhang LF, Zhao Y	Phosphatase Wip1 negatively regulates neutrophil development through p38 MAPK-STAT1	<i>Blood</i>
Liu G, Bi Y, Wang R, and Wang XH	Seat-eating and self-defense: autophagy controls innate immunity and adaptive immunity	<i>Journal of Leukocyte Biology</i>
Zhang Y, Wang X, Yang H, Liu H, Lu Y, Han L, Liu G.	Kinase AKT controls innate immune cell development and function	<i>Immunology</i>
Liu G, Yang H, Chen X, Chu Y	Modulation of neutrophil development and homeostasis in immunity	<i>Current Molecular Medicine</i>
Liu G, Bi Y, Wang R, Shen B, Zhang Y, Yang H, Liu HR, Lu Y, Han F	Kinase AKT1 negatively controls neutrophil recruitment and function in mice	<i>J Immunol.</i>
Liu G.W, Bi Y, Shen B, Yang H, Zhang Y, Wang X, Liu H, Lu Y, Liao J, Chen X, and Chu Y	SIRT1 limits function and fate of myeloid-derived suppressor cells in tumors by orchestrating HIF1 α -dependent glycolytic pathway.	<i>Cancer Research</i>
Sun B [#] , Hu X [#] , Liu G.W. [#] , Shen B, Yang T, Shi J, Hou Y, Zhu L, and Zhao Y	Phosphatase Wip1 negatively regulates neutrophil antimicrobial immunity.	<i>J Immunol</i>

Chen H, Zhang L, Zhang H, Xiao Y, Shao L, Liu G.W., and Zhao Y	Disruption of TSC1/2 signaling complex reveals a checkpoint governing thymic CD4+Foxp3+ regulatory T cell development in mice.	<i>FASB J</i>
Dongqin Yang, Lihui Li, Hui Liu, Lijun Wu, Zhongguang Luo, Haixia Li, Shimin Zheng, Haifeng Gao , Yiwei Chu ,Yi Sun, Jie Liu*, Lijun Jia*.	Induction of autophagy and senescence by knockdown of ROC1 E3 ubiquitin ligase to suppress the growth of liver cancer cells.	<i>Cell Death Differentiation</i>
Ding C, Jiang J, Wei J, Liu W, Zhang W, Liu M, Fu T, Lu T, Song L, Ying W, Chang C, Zhang Y, Ma J, Wei L, Malovannaya A, Jia L, Zhen B, Wang Y, He F,Qian X, Qin J.	A fast workflow for identification and quantification of proteomes.	<i>Mol Cell Proteomics</i>
Li L, Liu B, Dong T, Lee HW, Yu J, Zheng Y, Gao H, Zhang Y, Chu Y, Liu G, Niu W, Zheng S, Jeong LS, Jia L.	Neddylation pathway regulates the proliferation and survival of macrophages.	<i>Biochem Biophys Res Commun.</i>
Gao B, Wang Y, Xu W, Li S, Li Q, Xiong S	Inhibition of histone deacetylase activity suppresses IFN- γ induction of tripartite motif 22 via CHIP-mediated proteasomal degradation of IRF-1	<i>J Immunol</i>
Gao B, Xu W, Zhong L, Zhang Q, Su Y, Xiong S	p300, but not PCAF, collaborates with IRF-1 in stimulating TRIM22 expression independently of its histone acetyltransferase activity.	<i>Eur J Immunol</i>
Gao B, Xu W, Wang Y, Zhong L, Xiong S	Induction of TRIM22 by IFN- γ Involves JAK and PC-PLC/PKC, but Not MAPKs and pI3K/Akt/mTOR Pathways	<i>J INTERF CYTOK RES</i>
Zhang, Y., Wang, J.-Y., Han, W.	A role for CMTM7 in BCR expression and survival in B-1a but not B-2 cells	<i>Int. Immunol.</i>
Ouchida, R., Mori, H., Ohno, H. and Wang, J.-Y.	Fc μ R (Toso/Faim3) is not an inhibitor of Fas-mediated cell death in mouse T and B cells	<i>Blood</i>

Kano, C. and Wang, J.-Y.	High levels of AID cause strand bias of mutations at A versus T in Burkitt's lymphoma cells	<i>Molecular Immunology</i>
Tsuruoka, N., Arima, M., Yoshida, N., Okada, S., Sakamoto, A., Hatano, M., Satake, H., Arguni, E., Wang, J.-Y., Yang, J.-H., Nishikura, K., Sekiya, S., Shozu, M. and Tokuhisa, T.	ADAR1 induces adenosine-targeted DNA mutations in senescent Bcl6-deficient cells	<i>J. Biol. Chem.</i>
Li, S., Zhao, Y. and Wang, J.-Y	Analysis of Ig gene hypermutation in <i>Ung^{-/-}Polh^{-/-}</i> mice suggests that UNG and A:T mutagenesis pathway target different U:G lesions	<i>Mol. Immunol.</i>
Ding, Z., Bergman, A., Rutemark, C., Ouchida, R., Ohno, H., Wang, J.-Y., Heyman, B.	Complement-activating IgM enhances the humoral but not the T cell immune response in mice.	<i>PLOS ONE,</i>
Zhang W, Zhou Q, Xu W, Cai Y, Yin Z, Gao X, Xiong S	DNA-dependent activator of interferon-regulatory factors (DAI) promotes lupus nephritis by activating the calcium pathway	<i>J Biol Chem</i>
Cai Y, Zhang W, Xiong S.	Mannose-binding lectin blunts macrophage polarization and ameliorates lupus nephritis.	<i>PLoS One</i>
Zhang W, Cai Y, Xu W, Yin Z, Gao X, Xiong S	AIM2 facilitates the apoptotic DNA-induced systemic lupus erythematosus via arbitrating macrophage functional maturation	<i>J Clin Immunol</i>
Qili Yin*, Xiaofei Xu*, Yuli Lin, Jiaoyan Lv, Lina Zhao, and Rui He	Ultraviolet B irradiation induces skin accumulation of plasmacytoid dendritic cells: A possible role for chemerin	<i>Autoimmunity</i>
Yang H, Wang X, Zhang Y, Liu HR, Liao JB, Shao K, Chu Y, Liu G	Modulation of TSC1/2-mTOR signaling on immune cells in immunity and autoimmunity	<i>Journal of Cellular Physiology</i>
Bi Y, Zhou J, Yang H #, Wang X, ---, Liu G, Yang R.	IL-17A produced by neutrophils protects against pneumonic plague through orchestrating IFN- γ activated macrophage programming.	<i>J Immunol</i>
Li S, Yue Y, Xu W, Xiong S	MicroRNA-146a Represses Mycobacteria-Induced Inflammatory	<i>PLoS One</i>

	Response and Facilitates Bacterial Replication via Targeting IRAK-1 and TRAF-6.	
Cao Y, Xu W, Xiong S	Adoptive transfer of regulatory T cells protects against Coxsackievirus B3-induced cardiac fibrosis	<i>PLoS One</i>
Ai W, Yue Y, Xiong S, Xu W	Enhanced protection against pulmonary mycobacterial challenge by chitosan-formulated polyepitope gene vaccine was associated with elevated pulmonary SIgA and IFN- γ (+) T cell response.	<i>Microbiol Immunol</i>
Chen X, Wen Z, Xu W, Xiong S.	Granulin exacerbates lupus nephritis via enhancing macrophage M2b polarization.	<i>PLoS One</i>
Wen Z, Xu L, Chen X, Xu W, Yin Z, Gao X, Xiong S.	Autoantibody induction by DNA-containing immune complexes requires HMGB1 with the TLR2/microRNA-155 pathway	<i>J Immunol</i>
Wen Z, Xu L, Xu W, Yin Z, Gao X, Xiong S	Interleukin-17 expression positively correlates with disease severity of lupus nephritis by increasing anti-double-stranded DNA antibody production in a lupus model induced by activated lymphocyte derived DNA	<i>PLoS One</i>
杨柳, 舒航, 吴冠宇, 谷和先, 张波, 洪有军, 邓娜, 洪晓武	地西他滨联合半量 HAG 方案治疗骨髓异常综合征及急性髓系白血病	遵义医学院学报
陈峻崧, 杨洁, 邵家胜, 洪晓武	卵巢癌干细胞耐药及其作用机制的研究	遵义医学院学报